

# RF 3500 Rolling Finisher



ISO9001:2015 certified

*Our Tradition is Quality Driven and Field Proven*



# RF 3500 Rolling Finisher

# Harrow and Roller Options...

*for the versatility today's farming demands*

Remlinger's RF 3500 Rolling Finisher has many different harrow options and combinations to handle a variety of applications and conditions. It can be pulled behind virtually anything with a rear hitch, by itself, behind spring tools or behind fall tools.

Available in sizes from 11' 9" through 40' 9" with 12', 14' and 16' base sizes. Telescoping front hitch is standard.



Angled Spike



Spring Tine



Straight Spike



Double Spring  
Down Pressure




Heavy Duty  
Front Hitch


*Industry Exclusive!*



Nut Protector



Tillxtreme Bearing



## Heavy Duty Double Bar Roller

Remlinger's RF 3500 Rolling Finisher features an industry first double bar roller. A 12" diameter flat bar roller along with a 5/8" diameter solid round bar provides a more durable roller with increased soil action vs. our competitors.



Visit [remlingermfg.com](http://remlingermfg.com)  
to learn more

# RF 3500 Rolling Finisher...

*field finishing has never been easier!*



## Designed and Built Tough

- Gauge wheels for large wing machines available
- Heavy duty "A" frame and rollers
- 7.6-15 transport tires on 6 bolt hub standard
- 9.5L-15 tires available

Remlinger designs and manufactures farm tillage equipment, with over 60 years of experience. The company's early years were primarily dedicated to manufacturing spike tooth harrows for field cultivators and disks. In 1980, a Danish tine field cultivator, packer wheel combination became Remlinger's first complete tool. As the farming industry evolved, Remlinger Manufacturing has met the needs for new attachments on a wide variety of tillage tools serving farmers all across the United States, as well as around the globe.



Remlinger Manufacturing Co., Inc.  
16394 U.S. 224 ■ P.O. Box 299  
Kalida, OH 45853  
1.800.537.7370 ■ 419.532.3647  
Fax: 1.419.532.2244  
[www.remlingermfg.com](http://www.remlingermfg.com)

Remlinger Manufacturing reserves the right to change pricing or specifications at anytime without notice or obligation.